

The following Tables identify the proportion of clients prevention counseled in 1999 who indicated a specific drug use during sexual or needle sharing activities in the previous year.

South I35 Corridor

White

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	50.7%	84.2%	91.6%	55.1%	45.6%
Heroin	0.5%	33.2%	44.1%	2.0%	1.4%
Cocaine	9.6%	59.7%	59.9%	15.5%	13.2%
Marijuana	18.4%	40.9%	33.9%	26.9%	15.0%
Alcohol	46.4%	52.6%	42.7%	43.8%	36.6%
Amphetamines	2.1%	24.3%	19.8%	3.7%	2.0%
Inhalants	4.7%	1.9%	2.2%	0.6%	0.3%
Other drugs	3.6%	8.2%	8.4%	3.0%	1.6%

African American

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	58.6%	92.5%	85.7%	69.9%	52.0%
Heroin	1.4%	22.5%	14.3%	1.2%	0.2%
Cocaine	25.7%	75.0%	81.0%	28.5%	31.6%
Marijuana	21.4%	30.0%	28.6%	39.7%	19.2%
Alcohol	44.3%	57.5%	38.1%	46.6%	28.6%
Amphetamines		2.5%	14.3%	1.2%	0.8%
Inhalants			4.8%	0.3%	0.4%
Other drugs			9.5%	3.2%	2.0%

Hispanic

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	45.1%	95.8%	92.8%	65.4%	37.6%
Heroin		50.0%	55.1%	2.1%	0.3%
Cocaine	7.5%	72.9%	65.2%	19.0%	12.1%
Marijuana	11.6%	44.9%	31.9%	30.7%	14.1%
Alcohol	40.5%	59.3%	42.0%	55.4%	29.1%
Amphetamines	0.6%	10.2%	15.9%	1.4%	0.7%
Inhalants	1.2%	2.5%	4.3%	0.6%	0.7%
Other drugs	1.2%	2.5%	8.7%	2.1%	1.5%

North I35 Corridor**White**

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	18.3%	49.3%	57.0%	36.0%	24.4%
Heroin		15.1%	11.4%	0.9%	0.1%
Cocaine		28.8%	31.6%	6.1%	4.1%
Marijuana	1.4%	30.1%	35.4%	18.3%	8.4%
Alcohol	18.3%	38.4%	44.3%	30.2%	21.7%
Amphetamines		28.8%	24.1%	2.1%	1.6%
Inhalants		2.7%	2.5%	0.6%	
Other drugs	2.8%	5.5%	2.5%	1.2%	0.7%

African American

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	19.0%	50.0%	42.9%	34.5%	19.6%
Heroin		20.0%	14.3%		
Cocaine	4.8%	40.0%	42.9%	5.6%	3.8%
Marijuana	14.3%	20.0%	28.6%	18.0%	7.8%
Alcohol	19.0%	30.0%	28.6%	29.2%	16.0%
Amphetamines				0.3%	0.3%
Inhalants		10.0%		0.3%	0.2%
Other drugs		10.0%		0.3%	0.2%

Hispanic

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	25.0%	50.0%	50.0%	44.5%	14.8%
Heroin		12.5%		0.7%	0.2%
Cocaine	4.2%	12.5%	37.5%	7.3%	3.1%
Marijuana	12.5%	50.0%	25.0%	23.4%	7.4%
Alcohol	25.0%	50.0%	25.0%	36.5%	11.5%
Amphetamines		12.5%	2.2%	0.2%	
Inhalants				0.7%	0.4%
Other drugs				0.7%	

Rural Central Texas**White**

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	71.6%	96.0%	98.2%	58.3%	52.5%
Heroin	1.8%	46.4%	42.1%	1.1%	0.5%
Cocaine	16.5%	82.4%	78.9%	12.6%	5.2%
Marijuana	32.6%	80.8%	78.9%	28.4%	17.6%
Alcohol	70.6%	88.8%	86.0%	54.6%	49.8%
Amphetamines	16.1%	64.8%	68.4%	6.7%	4.4%
Inhalants	7.8%	25.6%	14.0%	2.5%	1.0%
Other drugs	1.8%	16.0%	8.8%	3.4%	1.0%

African American

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	65.7%	93.3%	60.0%	42.6%	28.5%
Heroin		33.3%		0.7%	0.3%
Cocaine	14.3%	73.3%	40.0%	6.8%	6.2%
Marijuana	48.6%	73.3%	40.0%	24.5%	11.1%
Alcohol	60.0%	86.7%	60.0%	36.4%	24.6%
Amphetamines	2.9%	26.7%		0.4%	
Inhalants	2.9%	13.3%		1.8%	
Other drugs	2.9%			1.1%	0.3%

Hispanic

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	75.8%	95.5%	100.0%	66.0%	49.6%
Heroin	8.4%	42.4%	40.0%	1.8%	1.9%
Cocaine	37.9%	78.8%	80.0%	19.6%	9.0%
Marijuana	50.5%	77.3%	80.0%	37.0%	19.8%
Alcohol	73.7%	89.4%	95.0%	63.6%	47.8%
Amphetamines	23.2%	43.9%	60.0%	5.4%	4.5%
Inhalants	20.0%	25.8%	15.0%	7.2%	2.6%
Other drugs		9.1%		3.0%	0.4%